

英語論文

1. Sato T, Namba Y, Kashihara Y, Tanaka M, Fuke S, Yumoto A, Saito H. Clinical Significance of Platelet Reactivity during Prasugrel Therapy in Patients with Acute Myocardial Infarction. *J Cardiol* 2017 ;70: 35-40.
2. Sato T, Matsuoka H, Kawakami H, Watanabe K, Dai K, Nakama Y, Ishihara M. Differences of Chronic Angioscopic Findings among Stent Types in Patients With or Without Diabetes Mellitus: Sub-analysis of a Japanese multicenter registry study (MICASA). *Angioscopy* 2017; 1: 28-35.
3. Ando K, Ishii K, Tada E, Kataoka K, Hirohata A, Goto K, Kobayashi K, Tsutsui H, Nakahama M, Nakashima H, Uchikawa S, Kanda J, Yasuda S, Yajima J, Kitabayashi H, Sakurai S, Nakanishi K, Inoue N, Noike H, Hasebe T, Sato T, Yamasaki M, Kimura T. Prospective multi-center registry to evaluate efficacy and safety of the newly developed diamond-like carbon-coated cobalt–chromium coronary stent system. *Cardiovasc Interv and Ther* 2017; 32: 225-232.
4. Fuke S, Tsushima R, Kashihara Y, Kiguchi T, Tanaka M, Yumoto A, Saito H, Sato T. Percutaneous coronary intervention immediately improves coronary microcirculation function. *Okayama R C Hosp J Med* 2016; 27:35-42.
5. Namba Y, Fuke S, Kashihara Y, Tanaka M, Yumoto A, Saito H, Sato T. Diagnostic accuracy of three different protocols for 3.0T coronary magnetic resonance angiography. *Int Heart J* 2016;57;535-540.
6. Dai K, Matsuoka H, Kawakami H, Sato T, Watanabe K, Nakama Y, Ishihara M. Comparison of Chronic Angioscopic Findings of Bare Metal Stents, 1st-Generation Drug-Eluting Stents and 2nd-Generation Drug-Eluting Stents: Multicenter Study on Intra-Coronary Angioscopy after Stent (MICASA)". *Circ J* 2016 80:1916-1921.
7. Sato T, Ono T, Kawai H, Fuke S, Ikeda T, Saito H: Differences in Clinical and Angiographic Outcomes with Different Drug-eluting Stents in Japanese Patients With and Without Diabetes Mellitus. *J Cardiol* 2012; 60: 361-366.
8. Sato T, Ono T, Kawai H, Fuke S, Ikeda T, Saito H: Five-year Clinical Outcomes after Implantation of Sirolimus-eluting Stents in Patients With and Without Diabetes Mellitus. *Cardiovasc Interv and Thera* 2012; 27 :189-195.
9. Kobatake R, Sato T, Fujiwara Y, Sunami H, Yoshioka R, Ikeda T, Saito H, Ujihira T: Comparison of the effects of nitroprusside versus nicorandil on the slow/no-reflow phenomenon during coronary interventions for acute myocardial infarction. *Heart Vessels* 2011. 26:379-384.
10. Yoshioka R, Sato T, Fujiwara Y, Kobatake R, Sunami H, Ikeda T, Saito H, Ujihira T, Kusano K, Ito H: Long-term angioscopic evaluation of neointimal coverage over sirolimus-eluting stents: A comparison at 8 and 18 months. *Okayama R C Hosp J Med* 21(1):20-26,2010.
11. Sato T, Sunami H, Hioka T: Multiple spiral lumens in the coronary artery. *Intern Med* 46: 1265-1266; 2007.
12. Fuke S, Maekawa K, Kawamoto K, Saito H, Sato T, Hioka T: Impaired endothelial vasomotor

function after sirolimus-eluting stent implantation. *Circ J* 71:220-225;2007.

13. Sato T, Kobatake R, Sunami H, Yoshioka R, Ikeda T, Saito H, Maekawa K, Hioka T: Massive pulmonary thromboembolism in pregnancy rescued using transcatheter thrombectomy. *Intern Heart J* 48:269-276;2007.
14. Sato T, Akagi T, Hioka T: An 84-year-old patient with an atrial septal defect rescued using the Amplatzer septal occluder device. *Catheter Cardiovasc Interv* 68(5):758-762;2006.
15. Maekawa K, Kawamoto K, Fuke S, Saito H, Sato T, Hioka T: Severe endothelial dysfunction after sirolimus-eluting stent implantation. *Circulation* 113:e850-e851;2006.
16. Maekawa K, Kawamoto K, Fuke S, Saito H, Sato T, Hioka T: Effects of intraaortic balloon pumping on the angiographic no-reflow phenomenon after percutaneous coronary intervention in patients with anterior myocardial infarction. *Circ J* 70:37-43;2006.
17. Sato T. Re: Apical thrombus associated with left ventricular apical ballooning Electronic letter to editor. *Heart* 17 September 2003
18. Sato T, Tani Y, Murao S, Fujieda H, Sato H, Matsumoto M, Takeuchi T, Ohtsuki Y: Focal enhancement of expression of c-Met/hepatocyte growth factor receptor in the myocardium in human myocardial infarction. *Cardiovasc Path* 10:235-240;2001.
19. Sato T, Tani Y, Fujieda H, Murao S, Sato H: Extensive myocardial stunning showing transient regression of prolonged T wave inversion and prolonged sympathetic denervation. *Int Med* 40:312-319;2001.
20. Sato T, Fujieda H, Murao S, Sato H, Takeuchi T, Ohtsuki Y: Sequential changes of hepatocyte growth factor in the serum and enhanced c-Met expression in the myocardium in a human acute myocardial infarction. *Jpn Circ J* 63(11):906-908,1999.
21. Sato T, Yoshinouchi T, Sugimoto T, Sakamoto T, Fujieda H, Murao S, Sato H, Ohe T: Prognostic value of serum hepatocyte growth factor in patients with acute coronary syndrome. *Jpn Circ J* 63(8):583-588,1999.
22. Sato T, Nakamura K, Yamanari H, Yoshinouchi T, Ohe T: Relationship between electrocardiographic features and distribution of hypertrophy in patients with hypertrophic cardiomyopathy. *Jpn Circ J* 62(7):483-488,1998.
23. Sato T, Yoshinouchi T, Sakamoto T, Fujieda H, Murao S, Sato H, Kobayashi H, Ohe T: Hepatocyte growth factor (HGF): a new biochemical marker for acute myocardial infarction. *Heart and Vessels* 12(5):241-246,1997.
24. Sato T, Yamanari H, Ohe T, Yoshinouchi T: Regional left ventricular contractile dynamics in hypertrophic cardiomyopathy estimated by magnetic resonance imaging. *Heart and Vessels* 11:248-254,1996.
25. Sato T, Hata Y, Yamamoto M, Morita H, Mizuo K, Yamanari H, Ohe T: Early afterdepolarization abolished by potassium channel opener in a patient with idiopathic long QT syndrome. *J Cardiovasc Electrophysiol* 6(4):279-282,1995.

26. Sato T, Yamanari H, Morita H, Mizuo K, Saito D, Ohe T, Shoichi Haraoka: Relationship between electrocardiographic features and distribution of hypertrophy in hypertrophic cardiomyopathy. *Circulation* 90 (4) Suppl I -119, 1994.

日本語論文

1. 湯本晃久 津島龍 柏原悠也 田中正道 福家聡一郎 斎藤博則 佐藤哲也
当院での急性冠症候群の診断における高感度トロポニン I の有用性 岡山赤十字病院雑誌 2016;27:43-46
2. 佐藤哲也、田中正道:IVR (Interventional Radiology)センター新設について 岡山日赤病誌 25(1):3-9;2014.
3. 柏原悠也、小野環、幡中邦彦、田中正道、福家聡一郎、池田哲也、斎藤博則、佐藤哲也:
Biolimus-eluting stent 留置 8 カ月後に stent distal edge に漏斗状変形を認めた 1 例
岡山日赤病誌 24: 66-71; 2013.
4. 河野奈緒 福家聡一郎 小野環 川合晴朗 森本芳正 池田哲也 斎藤博則
大原信哉 佐藤哲也:ショックで発症したが救命できたインフルエンザ劇症型心筋炎の一例 岡山日赤病誌 23 (1):89-94,2012.
5. 須賀将文 小野環 森本芳正 福家聡一郎 池田哲也 斎藤博則 氏平徹
山本典良 佐藤哲也:心タンポナーゼで発症し CT で心筋梗塞後心破裂と診断できた一例 岡山日赤病誌 23 (1):100-104, 2012.
6. 佐藤哲也、小野環、川合晴朗、福家聡一郎、池田哲也、斎藤博則、氏平徹:血管内視鏡による Sirolimus-eluting stent と Zotarolimus-eluting stent の新生内膜被覆程度の比較検討 心臓 44 (10):1247-1253,2012.
7. 佐藤哲也: PCI 患者における ATIS 予防の重要性. *Coronary Intervention* 2011. 7 (5): 3-4.
8. 佐藤哲也: 第 19 回日本心血管インターベンション治療学会. 糖尿病患者治療における DES 間で TLR や MACE に差なし. *Medical Tribune* 2010.10.7 号(Vol 43, No. 40) p 25.
9. 三瀬広記、佐藤哲也、更科俊洋、川合晴朗、福家聡一郎、池田哲也、斎藤博則、氏平徹、國友忠義、長野ゆり、時岡宏明:ショック、急性心不全、カテコラミン心筋症で発症し救命し得た異所性褐色細胞腫の一例 呼と循 58 (9):961-967;2010.
10. 川合晴朗、福家聡一郎、草野研吾、更科俊洋、池田哲也、斎藤博則、佐藤哲也、氏平徹、伊藤浩:肺高血圧患者における非侵襲的心拍出量計、Task Force Monitor の安全性と有用性. 岡山日赤病誌 20 (1):21-25,2009.
11. 藤原泰和、斎藤博則、更科俊洋、池田哲也、佐藤哲也、氏平徹:一般市民による AED にて救命された Brugada 症候群の 1 例. 心臓 41:22-27,2009.
12. 小島廉平、佐藤哲也、藤原泰和、角南春樹、吉岡亮、池田哲也、斎藤博則、氏平徹:
PCI 施行中の no-reflow/slow flow 現象に対する nitroprusside と nicorandil の効果の比較検討. 岡山日赤病誌 18(1): 7-12; 2007. 40.
13. 佐藤哲也、小島廉平、吉岡亮、福家聡一郎、池田哲也、斎藤博則、前川清明、飛岡徹:
超高齢者急性冠症候群に対する経皮的冠動脈形成術の有用性:初期および中期成績 岡

山日赤病誌 17(1): 15-20;2006.

14. 川本健治、佐藤哲也、福家聡一郎、斎藤博則、前川清明、飛岡徹: Cypher[®]連結部に冠動脈穿孔を生じた一例. *Jpn J Interv Cardiol* 21(2):152-158;2006.
15. 八杉昌幸、前川清明、川本健治、福家聡一郎、高垣健二、佐藤哲也、飛岡徹: 急性心筋梗塞と左腋窩動脈閉塞を同時に発症したと思われる 1 例 *Jpn J Interv Cardiol* 20:227-232;2005.
16. 福家総一郎、川本健治、斎藤博則、佐藤哲也、前川清明、飛岡 徹: 当院における ACS Multi-Link Penta ステントの初期および中期成績 *岡山日赤病誌* 16(1):3-8;2005.
17. 佐藤哲也、長野ゆり、角南春樹、角田和歌子、福家聡一郎、高垣健二、前川清明、飛岡徹、Phillip Harris: オーストラリアにおける In-stent restenosis に対する Brachytherapy の臨床成績 *岡山日赤病誌* 14(1):15-20;2003.
18. 佐藤哲也、吉野内猛夫、杉本太郎、坂本泰祐、藤枝裕之、佐藤博彦、村尾 敏、小林博夫、大江 透: 急性心筋梗塞における hepatocyte growth factor 測定の意義 *J Cardiol* 32(2):77-82,1998.
19. 佐藤哲也、大江 透: QT 延長症候群に対する K チャネル開口薬の有効例 *治療学* 30(4):120-123,1996.
20. 佐藤哲也、大江 透: 冠動脈疾患の病態診断—運動負荷およびホルター心電図— *臨床医* 21(8):29-32,1995.
21. 佐藤哲也、大江 透: 不整脈の現在—定義と分類— *臨床科学* 31(1):3-8,1995.
22. 佐藤哲也、大江 透: 心筋梗塞における不整脈の治療. *CLINICIAN* 436(41):53-69,1994.
23. 佐藤哲也: MRI による肥大型心筋症の局所左室壁収縮動態の評価. *岡山医学会雑誌* 106(3,4):239-252,1994.
24. 佐藤哲也、国司研介、亀山省子、高野俊男、太田伸生: 人体有鉤囊虫症の一例. *内科* 68(1):190-192,1991.
25. 佐藤哲也、国司研介、亀山省子、高野俊男、斎藤大治: 喫煙の血行動態に与える急性効果に及ぼす Ca 拮抗薬の影響. *呼吸と循環* 39(4):349-353,1991.
26. 佐藤哲也、亀山省子、高野俊明、斎藤大治: 特徴的心電図所見を呈した偶発的低体温症の一例. *臨床と研究* 68:461-464,1991.
27. 佐藤哲也、国司研介、亀山省子、高野俊男、斎藤大治: 喫煙の血行動態に及ぼす急性効果およびニコチン含有量との関係. *呼吸と循環* 39(2):151-155,1991.
28. 佐藤哲也、佐藤 光、立石博信、内田俊明、土手慶五: 急性心筋梗塞と狭心症との PTCA による冠状動脈の反応性の違い. *呼吸と循環* 38(9):887-892,1990.
29. 佐藤哲也、国司研介、前川清明、岩野郁造、芳野 健: 慢性関節リウマチ、Sjögren 症候群を合併した自己免疫性肝炎の一例. *内科* 66(2):396-398,1990.
30. 佐藤哲也、国司研介、前川清明、岩野郁造、三原浩三: 術前診断が困難であった空腸平滑筋肉腫の一例. *重井医学年報* 11:61-68,1989.
31. 佐藤哲也、国司研介、前川清明、岩野郁造: 広範な脳内石灰化を認め高 LDH,CPK 血症

を呈した特発性副甲状腺機能低下症の一例. ホルモンと臨床 38(2):205-209,1990.

32. 佐藤哲也、井上純一、野村正博、中川昌壯、松浦博夫：嚢胞液中の CA19-9 が異常高値を呈した巨大肝嚢胞の一例. 社会保険広島市民病院誌 4(1):76-82,1988.
33. 佐藤哲也、柴田 醇、井上純一、網岡逸男、平本忠憲、多田恵一：上部消化管内視鏡検査後、偶発した急性心筋炎により死亡した一例. 広島医学 41(2):244-248,1988.
34. 佐藤哲也、宮沢輝臣、胤森信宏、片山紀彦、中川昌壯、辻 守康：プラジカンテルを投与し軽快したウエステルマン肺吸虫の一例. 広島医学 40(10):1368-1371,1987.